

300Mbps Wireless N USB VDSL/ADSL **Modem Router**

Fast DSL Router with **100Mbps Broadband**



VDSL/ADSL/Fiber/Cable Compatible








300Mbps Wireless Speed




Features



Speed

- Ultimate Wireless Speed up to 300Mbps makes it ideal for heavy bandwidth consuming or interruption sensitive applications like online gaming, Internet calls and even the HD video streaming
- High Speed VDSL VDSL Broadband Access of up to 100Mbps speeds ensures your home internet needs are met




Wi-Fi Range

- Expansive Coverage 300Mbps Wi-Fi allows stable speed for wireless activities, such as streaming, surfing, browsing and posting social media
- High-gain Antennas Two 5dBi high-gain antennas expand network coverage across your home

Reliability


 Easy Bandwidth Management – IP-based Bandwidth Control makes it easier for you to manage the bandwidth of connected devices

Features



Ease of Use

- Intuitive Web UI Ensures quick and simple installation without hassle
- · Wireless Schedule Wireless Schedule lets you turn the Wi-Fi radio on or off based on a preset timetable
- · Fast Encryption Easily set up an encrypted wireless connection at a push of the WPS button
- · Easy Wi-Fi On/Off Turn On/Off wireless radio using the Wi-Fi button
- Power On/Off Conveniently power on or off your router as required



Security

- · USB Port for Fast Sharing With the USB port, you can access · Guest Network – Keep your main network secure by creating a and share a printer as well as your files and media locally. separate network for friends and visitors Through the router's FTP server, you can also access your files · Parental Controls – Manage when and how connected devices and media from network devices remotely
- can access the internet
- · Encryptions for Secure Network WPA-PSK/WPA2-PSK encryptions provide active protection against security threats
- · Built-in Media Server Allows you to play music, watch videos · VPN Sopport – Secure access to your home or office network and view photos from any device on your network from remote devices


Easy Sharing

· Built-in Print Server – Allows wireless printing from multiple computers (works in conjunction with a USB printer)

Specifications

Hardware

- Ports: 1 10/100Mbps LAN/WAN Port, 3 10/100Mbps LAN port, 1 RJ11 port, 1 USB 2.0 Port
- Button: WPS/Reset Button, Wi-Fi Button, Power On/Off Button
- Antenna: 2 × 5dBi Fixed Omni-Directional Antennas
- External Power Supply: 12V/1A
- Dimensions (W x D x H): $7.7 \times 5.1 \times 1.4$ in. (195 × 130 × 36 mm)
- · IEEE Standards: IEEE 802.3, 802.3u
- · ADSL Standards: Full-rate ANSI T1.413 Issue 2, ITU-T G.992.1(G.DMT), ITU-T G.994.1 (G.hs), ITU-T G.995.1
- · ADSL2 Standards: ITU-T G.992.3 (G.DMT.bis)
- · ADSL2+ Standards: ITU-T G.992.5
- · VDSL2 Standards: ITU-T G.993.2, ITU-T G.993.5 (G.vector), ITU-T G.998.4 (G.INP)



Wireless

- Frequency: 2.400 2.4835GHz
- Signal Rate: 300Mbps at 2.4GHz
- Transmit Power: <20dBm(EIRP)
- Bridge, WMM, Wireless Statistics

· Wireless Standards: IEEE 802.11b, 802.11g, 802.11n

· Wireless Function: Enable/Disable Wireless Radio, WDS

 Wireless Security: Supports 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK encryptions, Wireless MAC Filtering

Specifications

Software

- Operation Modes: DSL Modem Router, 3G/4G Router, Wireless Router
- DHCP: Server, Client, DHCP Client List, Address Reservation, DHCP Relay
- Quality of Service: WMM, Bandwidth Control (IP QoS)
- Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ, Manage Control
- · Dynamic DNS: DynDns, NO-IP
- · VPN Pass-Through: PPTP, L2TP, IPSec Pass-through
- · ATM/PPP Protocols: ATM Forum UNI3.1/4.0, PPP over ATM (RFC 2364), PPP over Ethernet (RFC2516), IPoA (RFC1577/2225), PVC - Up to 8 PVCs
- Security: NAT Firewall, SPI Firewall, MAC / IP / URL Filtering
- · USB Sharing: Storage Sharing, FTP Server, Media Server, Print Server
- · Management: Remote management, Telnet management, Command Line Interface, SSL for TR-069, SNMP V1/V2C, Web Based Firmware Upgrade,CWMP(TR-069), Diagnostic Tools
- Guest Network: 2.4GHz guest network
- · IPSec VPN: Supports up to 10 IPSec VPN tunnels
- Protocols: Supports IPv4 and IPv6

Others

- · Certification: CE, RoHS
- System Requirements: system
- Environment

Operating Temperature: $0^{\circ}C \sim 40^{\circ}C$ (32°F ~104°F) Storage Temperature: -40°C~70°C (-40°F ~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing

Package Contents DSL Modem Router TD-W9970 External DSL Splitter RJ11 DSL Cable RJ45 Ethernet Cable Quick Installation Guide

Power Adapter



■元二我回 For more information, please visit http://www.tp-link.com/en/products/details/?model=TD-W9970 or scan the QR code left

Specifications are subject to change without notice. TP-Link is a registered trademark of TP-Link Technologies Co., Ltd. All rights reserved.

Windows 10/8.1/8/7/Vista/XP or Mac OS or Linux-based operating

www.tp-link.com

TP-Link 300Mbps Wireless N USB VDSL/ADSLModem Router TD-W9970